## THE STHINGREDIENT

PULKIT K. AGRAWAL

INTERNSHIP OPPORTUNITIES





#### OUTLINE

INTRODUCTION

THE 5TH INGREDIENT — "LAUNCH, AND THEN EVOLVE"

STARTUP EXPERIENCE

**INTERNS** 



#### OUTLINE

INTRODUCTION

THE 5TH INGREDIENT — "LAUNCH, AND THEN EVOLVE"

STARTUP EXPERIENCE

**INTERNS** 



#### INTRODUCTION





#### OUTLINE

INTRODUCTION

THE 5TH INGREDIENT — "LAUNCH, AND THEN EVOLVE"

STARTUP EXPERIENCE

**INTERNS** 



#### INDUSTRY: BREWERIES

383% **GROWTH** 

THE UNITED STATES


2008: 1,521 Breweries

2018: 7,346 BREWERIES

GLOBAL MARKET

22,000 BREWERIES (MID-2019)

(REPORTED BY RATEBEER)





#### INDUSTRY: LANDSCAPE

#### GLOBAL



22,000 BREWERIES (MID-2019)

(REPORTED BY ALLTECH + THE BREWERS JOURNAL)


#### CALIFORNIA



#### RANKS 1<sup>ST</sup> IN US FOR CRAFT BREWERIES

(REPORTED BY BREWERS ASSOCIATION)

#### INDUSTRY: SAN DIEGO, CALIFORNIA




As of August 12, 2019:

154 BREWERIES IN

**SAN DIEGO COUNTY** 

(REPORTED BY WEST COASTER)

















#### **PROBLEM**

#### **COMPLEXITY**

- PAPER LOGS
- WHITEBOARDS
- SPREADSHEETS

#### Costs

- KEGLINE DOWNTIME
- GRAIN BILL
- SCHEDULE ERRORS

#### **INCONSISTENCY**

- TANK DESTROY
- Customer Unhappy
- BRAND REPUTATION



### BEER30

PROPRIETARY SOFTWARE-AS-A-SERVICE FOR DATA MANAGEMENT

MODULAR: BASED ON A BREWERY'S NEEDS

TIERED PRICING: BASED ON A BREWERY'S SIZE

CUSTOMIZABLE & SCALABLE

MOBILE, TABLET, COMPUTER FRIENDLY





BREWERY MANAGEMENT SOFTWARE





**BREW FERMENT** FILTER BBT **PACKAGE** 



DASHBOARD CHARTS



NOTIFICATIONS





































QBO SYNC









#### OUTLINE

INTRODUCTION


THE 5TH INGREDIENT — "LAUNCH, AND THEN EVOLVE"

STARTUP EXPERIENCE


**INTERNS** 



## BEER30: V6.14 (APRIL 2, 2020)



## BEER30: V1.0 (JANUARY 15, 2018)




#### BUT HOW DID WE GET TO V6.14?

# MENTALITY OF "LAUNCH, AND THEN EVOLVE"




## THE LEAN STARTUP





#### ALPHA + V1.0



**JANUARY 15, 2018** 

WHAT DO BREWERS THINK?

AM I ON THE RIGHT PATH?

WHAT DOES THIS TELL ME ABOUT THE MARKET?

CRAFT BREWERS CONFERENCE - MAY 2018

110 Brewery Employees  $\rightarrow$  70 Breweries

#### WHAT IS THE CRITERIA FOR AN UPDATE?

- (1) SIZE OF THE CLIENT
- (2) QUANTIFYING HOW MANY CLIENTS HAVE TOLD YOU THIS
- (3) CLIENT SPECIFIC VS. GENERIC SOLUTION
- (4) Is the Client willing to Pay?
- (5) Is the lack of this feature a showstopper for Client?


#### V1.0 TO V2.0





## V1.0 TO V2.0


#### THE **ETH** INGREDIENT



www.the5thingredient.com



#### **v5.0**



#### OPPORTUNITY COST ANALYSIS

HOW LONG WILL IT TAKE TO BUILD THIS FEATURE?

WHAT ARE THE ALTERNATIVES?

LOW HANGING FRUIT WITH HIGH IMPACT?



#### OUTLINE

INTRODUCTION

THE 5TH INGREDIENT — "LAUNCH, AND THEN EVOLVE"

STARTUP EXPERIENCE

**INTERNS** 



## SUMMER 2018 INTERNS



MIKE
JP
PULKIT
RYAN
MARK




### JANUARY 2019 INTERNS



RYAN
PULKIT
JULIANNE
ANDREW
JASON



#### KEEP TRACK OF TIME AND COMMITMENTS



164 HOURS IN A WEEK: YOU REALLY DON'T GET YOUR OWN SCHEDULE...



#### ESTABLISH AND EVOLVE A WORKFLOW



HUBSPOT: LEADS AND DEMOS



DRIVE:
CLIENT
WORKSHEETS



MONDAY.COM:
PRIORITY LIST
AND BACKLOG



CALENDAR:
TIME
ALLOCATION



SLACK +
WHATSAPP:
TEAM

#### STYLE GUIDELINES OF CURRENT TEAM

```
if(array_key_exists( $newKeyForHistory, ${"each".$PackageType."History"})
            ".$PackageType."History"}[$newKeyForHistory] .= $historyRow;
            .$PackageType."History"}[$newKeyForHistory] = $historyRow;
  (array key exists( $newKeyForHistory, ${"each".$PackageType."History"}) )
    ${"each".$PackageType."History"}[$newKeyForHistory] .= $historyRow;
   ${"each".$PackageType."History"}[$newKeyForHistory] = $historyRow;
```



#### VARIABLE NAMES

```
foreach($notification_history at $key => $value
    echo ""
  foreath($value as $key2 => $value2){
     if($key2 != breweryID && $key2 != 'userName'){
         //Split timestamp into date and time:
         if($key2 == 'timestamp'){
              $timearray = explode(" ",$value2);
              foreach($timearray as $i => $e){
                 echo "$e";
         }else if($key2 =='notes'){
              $notestring = $value2;
              $value2 = "<div class='container'>
              <!-- Trigger the modal-->
              <div data-toggle='modal' data-target='#myModal' style='color: grey; cursor:pointer;'>More Details</div>
              <!-- Modal -->
              <div class='modal fade' id='myModal' role='dialog'>
               <div class='modal-dialog'>
```

#### VARIABLE NAMES

```
foreach($notification_history at $key => $value
    echo ""<
  foreath($value as $key2 => $value2){
     if($key2 != breweryID && $key2 != 'userName'){
          //Split timestamp into date and time:
         if($key2 == 'timestamp'){
              $timearray = explode(" ",$value2);
              foreach($timearray as $i => $e){
                 echo "$e";
          }else if($key2 =='notes'){
              $notestring = $value2;
              $value2 = "<div class='container'>
              <!-- Trigger the modal-->
              <div data-toggle='modal' data-target='#myM</pre>
              <!-- Modal -->
              <div class='modal fade' id='myModal' role=
               <div class='modal-dialog'>
```

```
foreach ($notification history a $Selector => $NotificationEntry
   echo "";
    foreach($NotificationEntry a $DBKev => $DBValue
       if($DBKev != 'brewervID' && $DBKev != 'userName' && $DBKev !=
            //Split timestamp into date and time:
            if($DBKev == 'timestamp')
               $timearray = explode(" ", $DBValue);
                foreach ($timearray as
            else if($DBKey == 'email body')
```

#### COMMENTING CODE

```
// PKA:: Use this to add a PACKAGETYPE HISTORY MODAL
$newKeyForHistory = $ItemNameHistory. '.$AssignedItem BrandName History;
// PKA:: CHECK TO SEE IF KEY EXISTS IN THE ARRAY
// PKA:: IF EXISTS, CONCAT THE STRING INTO THE END OF THE KEY'S VALUE
// PKA:: IF IT DOESN'T EXIST, CREATE A NEW INDEX AND ADD THE UPDATED HISTORY ROW
// PKA:: USED BECAUSE THE ITEM'S IN HISTORY AREN'T SORTED BY TYPE AND ARE BASED ON TIME STAMPS.
if(array key exists( $newKeyForHistory, ${"each".$PackageType."History"}) )
    ${"each".$PackageType."History"}[$newKeyForHistory] .= $historyRow;
else
    ${"each".$PackageType."History"}[$newKeyForHistory] = $historyRow;
```


## GIT COMMITS (BITBUCKET OR GITHUB)

2407bff Batch History Cleaning

062c8b7 Batch History Cleaning

Pulkit Agrawal	7840b06	PKA:: FIX CORNER CASE ASSOCIATED WITH MODALS FOR HISTORY.	🄰 pack_inventory	14 hours ago
Pulkit Agrawal	a4fbd67	PKA:: DB Dump for package_supplies.	<pre>pack_inventory</pre>	15 hours ago
Pulkit Agrawal	dc6a5b9	PKA:: Package History Modals complete ALL CODE COMMENTED.	<pre>pack_inventory</pre>	15 hours ago
Pulkit Agrawal	fa292ad	PKA:: Check to make sure all add and subtract are working in canning, ke	<pre>pack_inventory</pre>	15 hours ago
Pulkit Agrawal	e959126	PKA:: CLEAN UP ADD FUNCTION	🄰 pack_inventory	16 hours ago
Pulkit Agrawal	ee81fe1	PKA:: Subtract function working for package supplies (generic and brand	🄰 pack_inventory	16 hours ago
Pulkit Agrawal	7f45a4f	PKA:: Start subtraction function.	🄰 pack_inventory	yesterday
Pulkit Agrawal	665cbd6	PKA:: Create subtract modals with pre-populated rows. Delete Distributi	<pre>pack_inventory</pre>	yesterday
Pulkit Agrawal	f9e5d6a	PKA:: Add in Inventory Total Quantity Units for brand specific items	🄰 pack_inventory	yesterday
REA	3994e0b	REA:: Filter History // Fixed data.php controller when no recipe version prese	ent (l 🄰 antman	yesterday
REA	2bc83d8	REA:: BBT History finished / Force Carb started / updated ferment history to	have 🄰 antman	2 days ago


#### TRANSFORMING BETWEEN LANGUAGES



#### EXTERNAL RESOURCES



**CS**50



**TEXTBOOKS** 

#### Understand Fundamentals



ONLINE FORUMS
(BE CAUTIOUS!)



## QUESTIONS



#### PKA@THE5THINGREDIENT.COM

